Assembly and use

p-marc Beach Tennis ball hanger

Block A explains the complete assembly of the hanger for two Beach Tennis balls with the clamp for standard posts. Block B covers only the fastening method for larger posts.

If you selected both clamps, use the assembly procedure for the type of post where you will install the hanger.

A · Clamp for standard posts

Complete assembly of the ring mounting piece and both ball rings.

B · Clamp for larger posts

Attaching the clamp with a strap. Fitting the rings is explained in block A.

> **IMPORTANT**
>
> Always tighten the screws by hand and do not force them.

Approximate diameters

The clamp for larger posts is designed for posts approximately 6 to 14 cm in diameter. For larger diameters, contact p-marc: a longer hook-and-loop strap can be adapted to the post.

Assembly and use

p-marc Beach Tennis ball hanger

A · Clamp for standard posts

Assembling the hanger with two rings.

STEP 1




Place the standard clamp on the post.

STEP 2



Press the standard clamp until it fits snugly and securely.

STEP 3



Insert the standard clamp screw. Tighten it.

STEP 4



Fit the ring mounting piece into the clamp.

STEP 5



Check that the piece is securely fitted, aligned and close to the post.

STEP 6



Insert the first ball ring.

Assembly and use

p-marc Beach Tennis ball hanger

A · Clamp for standard posts · continued

Assembling the hanger with two rings.

STEP 7



Slide the ring towards the mounting piece until the connector is fully fitted next to the post.

STEP 8



Insert the second ball ring.

STEP 9



The hanger is assembled and ready to hold Beach Tennis balls next to the post.

Assembly and use

p-marc Beach Tennis ball hanger

B · Clamp for larger posts

Alternative fastening with a hook-and-loop strap only.

STEP 1



Thread the hook-and-loop strap through one clamp handle, with the ball support facing downwards.

STEP 2



Fold the strap back onto itself and secure it firmly around the handle you threaded it through.

STEP 3



Place the clamp next to the post and wrap the strap all the way around the post.

STEP 4



Thread the free end through the other handle and pull firmly until the clamp fits snugly around the post.

STEP 5



Fasten the strap onto itself. The clamp is securely attached to the post and ready to use.